



Custom-Cal
Global Tech Solutions, LLC

Spectrum Compact Spectrum Analyzer 2-40 Ghz




- Essential tool for link troubleshooting
- Top choice for site survey and acceptance
- Perfect aid for installation and maintenance of antenna systems
- Industry leading -105 dBm receiver sensitivity
- Intuitive control and interactive GUI with instant On/Off functionality
- Resistive LCD touchscreen allows working with gloves on

535 US 130, Hamilton, NJ 08620


Phone: (609) 529-8664

Toll Free: (888) 530-9009


www.cc-globaltech.com




Easy In band, out of band, co-channel, adjacent channel interference detection




Power In Band function for signal power measurements




Max Hold Trace mode guarantees precise antenna alignment on main lobe



Overwrite function allows easy Multipath detection



Use previously saved file as reference for real-time radio signal comparison



Verify radio signal according to radio configuration and specification

P/N	JOSSAP10	JOSSAP11	JOSSAP12	JOSSAP13	JOSSAP14
Frequency range	2.000 - 8.000 GHz	5.925 - 12.000 GHz	10.000 - 18.000 GHz	17.000 - 24.300 GHz	24.000 - 40.000 GHz
Input power range		-105 to -40 dBm			-100 to -40 dBm
Max input power		0 dBm			0 dBm
RBW		1 MHz			1 MHz
Min. Span		100 MHz			100 MHz
Max. Span		full bandwidth			full bandwidth
Sweep speed		0.5s @ Min. Span			0.5s @ Min. Span
Accuracy		+/- 1 dB*			+/- 1 dB*
Input		50 ohm SMA (f)			50 ohm 2.92 mm (f)
Interface		mini USB 2.0 (1.1)			mini USB 2.0 (1.1)
Battery		2380 mAh Polymer Lithium-ion			2 x 2380 mAh Polymer Lithium-ion
Battery life		up to 4h			up to 3h
Operating temperature		-15°C to +55°C / 5°F to 131°F			-15°C to +55°C / 5°F to 131°F
Dimensions		128 x 81 x 24 mm / 5.04 x 3.2 x 0.94 in			130 x 81 x 28 mm / 5.11 x 3.2 x 1.1 in
Weight		0.3 kg / 10.6 oz			0.4 kg / 14.11 oz

Regulatory compliance:

Climate class: Usage 7K2; Transportation 2K4 - Mechanical class: 7M2

Guaranteed at 21°C/70°F CW signal

535 US 130, Hamilton, NJ 08620

Phone: (609) 529-8664

Toll Free: (888) 530-9009

www.cc-globaltech.com